: 206 EXTRUSION BENDING

: D2620

: N/A

: B

: D2620 REV B

: 05/06/2007

Friday, 28/03/2008 7:13:05 AM

User

Linda Lacelle

Process Sheet

Drawing Name

Part Number

Material **Due Date**

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Estimate Number

: 32449

S.O. No. :

Job Number : 10311

P.O. Number

Prsht Rev.

This Issue

: 28/03/2008 : NC

First Issue : //

: 31487 **Previous Run**

Checked & Approved By

Comment

Written By

: Est. D 02.07.26

Type

: LANDING GEAR

Change Dwg to rev.B; Updated Location

Qty:

20 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: Extrusion Round 3" 206

20.0000 Each(s)

1.0

D26001160

Total:

Comment: Qty.: 1.0000 Each(s)/Unit

Extrusion Round 3" 206

Pick:

Qty 1

Part Number D2600-1

Description

Extrusion Round 3"206

15-XBB0249

2.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Bend extrusion as per Dwg D2620 using CNC Bending Machine program 206.A and Folio Ft008

2- Cut Fwd end of tube as per Dwg D2620

3.0

QC5

Comment: INSPECT WORK TO CURRENT STEP

4.0

PACKAGING RESOURCE #1

INSPECT WORK TO CURRENT STEP

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

5.0

QC21



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



W 8.03-21

08 ou . Ot


Dart /	Aeros	pace	Ltd
--------	-------	------	-----


W/O:		WORK (ORDER CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Da	te Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #: Fault Category: _	NCR: Yes	s No	DQA:	_ Date: _	· · · · · · · · · · · · · · · · · · ·
	<i>!</i>		QA:	N/C C	losed:	_ Date: _	
		WORK ORDER NO	ON-CONFORMANCE (NO	:R)			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
		Description of NC	Corrective Action Section B			Verification	Annewal	A
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
	<							
								V.o.: -•

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING 206 SKIDTUBE BENDING





125.0

(REF)


- 1. THERE SHOULD BE NO VISIBLE WRINKLES BELOW 5.0 AFTER BENDING.
 2. GOUGES UP TO 0.020 DEEP ARE ACCEPTABLE IN BENT PORTION OF THE TUBE.
 - NO GOUGES ARE ACCEPTABLE IN THE FLAT PORTION OF THE TUBE. DEEPER GOUGES ARE ACCEPTABLE IN THE PORTION OF THE TUBE ABOVE 5.0.
 - 3. TUBE WIDTH SHOULD BE 3.20 \pm 0.200 IN THE BEND. TUBE WIDTH SHOULD BE 3.200 ± 0.010 IN THE FLAT PORTION OF THE TUBE.
 - 4. TUBE HEIGHT SHOULD BE 3.15 \pm 0.200 IN THE BEND. TUBE HEIGHT SHOULD BE 3.150 ± 0.010 IN THE FLAT PORTION OF THE TUBE.

NOTE: ALL DIMENSIONS ARE IN INCHES














Dart Aerospace Ltd

W/O:		W	ORK ORDER CHANGES	· · · · · ·			• ••	
DATE	STEP	PROCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	,							
		•	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
Part No):	PAR #: Fault Cate	gory:NC	CR: Ye	s No DQ	A:	Date: _	
				QA:	N/C Close	d:	Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
		Description of NC	Corrective Action Section B			Verification	Approval	Ammercal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector
								į.
		,						
		4		,				
3				20.4				

NOTE: Date & initial all entries